

Product Name : JOINTSEAL NEUTRAL CURE SILICONE SEALANT	Ramset NZ
Other Names : None	A Division of ITW NZ Ltd
Part No. : JTSLTRG300	PO Box 40-031
MSDS No. : NZ3500	Glenfield. Auckland
Date & Issue : NOV 3/ ISSUE A	www.ramset.co.nz

1: RECOMMENDED USE

Jointseal is especially formulated for use in expansion joints in masonry materials. Satisfactorily bonds to marble, granite, rigid PVC, galvanized iron, coated steels and zincalume.

2: HAZARDS IDENTIFICATION

UN No	: None	Hazchem Code	: None
Hazard Class	:	Poisons Schedule	: None (Fed)
Subsidiary Risk	: None	CAS No	: None
SPEC EPG	: None	G T EPG	: None
NIOSH	: None	Packing Group	: None
D G Class	: None	IMDG	: None

3: PHYSICAL DESCRIPTION & PROPERTIES

Appearance	: Non-flowing opaque paste	Flammability Ltd	: Non-flammable
Specific Gravity	: 1.0 (Water = 1)	Boiling Point	: >200 deg C
Form	: Solid	Melting Point	: >200 deg C
Vapor Pressure	: n/a	Flashpoint	: n/a
Solubility in Water	: n/a	Other	: n/a

4: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	(CAS No)	Content Proportion
: Polydimethylsiloxane compounds		: High
: Fillers and plasticizers		: Medium
: Amorphous silica, calcium carbonate pigments		: Low
: Alcoxy Silanes		: Low
: Organotin catalyst		: Low

Contents : **High**>60% **Medium** 10 – 60% **Low** 1 – 10% **Very Low** <1%

[PRINT DOCUMENT](#)

[BACK TO CONTENTS](#)

Product Name : JOINTSEAL NEUTRAL CURE SILICONE SEALANT

Ramset NZ

Other Names : None

A Division of ITW NZ Ltd

Part No. : JTSLTRG300

PO Box 40-031

MSDS No. : NZ3500

Glenfield. Auckland

Date & Issue : NOV 3/ ISSUE Awww.ramset.co.nz**5: HEALTH HAZARD INFORMATION******TAKE A COPY OF THIS MSDS TO THE DOCTOR******HEALTH EFFECTS: ACUTE:**Eyes

A moderate eye irritant.

Skin

Repeated or prolonged contact may lead to irritation.

Inhaled

High concentrations of vapour may cause irritation of the respiratory tract.

Swallowed

May cause irritation to mouth, throat and stomach.

HEALTH EFFECTS: CHRONIC:

Chronic exposure to vapours may cause inflammation of the nose, mouth, throat and bronchi. (No vapour is emitted after full cure).

FIRST AID****Take a copy of this MSDS to the Doctor****Eyes

Irrigate with copious amounts of water for 15 minutes. Seek medical assistance if symptoms persist.

Skin

Wash with plenty of soap and water.

Inhaled

Remove to fresh air.

Swallowed

Give water or milk to drink. DO NOT induce vomiting. Seek medical assistance.

Advice to Doctor

Treat symptomatically. Consult Poisons Information Centre.

First Aid facilitiesToxicity data

Methylethylketoxime set free upon curing present no notable risk of toxicity, when large amounts of the product is used in an enclosed area, eg. a small unventilated bathroom. Amorphous silica and other fine powder ingredients are bound in the paste mixture and do not present any risk of toxicity under normal conditions of use and handling.

PRINT DOCUMENT**BACK TO CONTENTS****NATIONAL POISONS INFORMATION CENTRE****: 0800 764 766****RAMSET NZ****: 09 444 3510****MSDS's AVAILABLE ON LINE AT****: www.ramset.co.nz****PAGE No****: 2 of 4**

Product Name : JOINTSEAL NEUTRAL CURE SILICONE SEALANT

Ramset NZ

Other Names : None

A Division of ITW NZ Ltd

Part No. : JTSLTRG300

PO Box 40-031

MSDS No. : NZ3500

Glenfield, Auckland

Date & Issue : NOV 3/ ISSUE Awww.ramset.co.nz**6: PRECAUTIONS FOR USE****EXPOSURE LIMITS:**

No exposure limit is assigned to the mixture. Methylethylketoximes released during cure. Limited rat data showed that a high vapour concentration of Methylethylketoxime narcotic effects are observed.

VENTILATION:

Avoid breathing in vapours. Use with adequate ventilation.

PERSONAL PROTECTION:Eyes

Wear eye protection to prevent any reasonable probability of eye contact.

Hands & Feet

Avoid skin contact

RespiratoryOther

Avoid skin contact

FLAMMABILITY:

Non-flammable. Combustible. Will burn if involved in a fire but not considered to be a significant fire risk.

ENVIRONMENT:

Non-biodegradable. No negative ecological effects are known.

OTHER PRECAUTIONS:

Safe working practice and good hygiene should be observed.

[PRINT DOCUMENT](#)[BACK TO CONTENTS](#)

NATIONAL POISONS INFORMATION CENTRE

: 0800 764 766

RAMSET NZ

: 09 444 3510

MSDS's AVAILABLE ON LINE AT

: www.ramset.co.nz

PAGE No

: 3 of 4

Product Name : JOINTSEAL NEUTRAL CURE SILICONE SEALANT

Ramset NZ

Other Names : None

A Division of ITW NZ Ltd

Part No. : JTSLTRG300

PO Box 40-031

MSDS No. : NZ3500

Glenfield. Auckland

Date & Issue : NOV 3/ ISSUE Awww.ramset.co.nz**7: SAFE HANDLING & STORAGE****STORAGE & TRANSPORT:**

Keep product dry to prevent lumping or possible deterioration.

PACKAGING & LABELLING:

Keep in original airtight container to prevent degradation.

SPILLS & DISPOSALS:

Normally suitable for local incineration. Consult local regulations. Non-biodegradable.

OTHER PRECAUTIONS:

The foregoing data apply to the uncured sealant. The hazards associated with this product are due mainly to the reactive silane cross linkers and the vapours given when the sealant reacts with moisture in the air. When curing is complete the resulting product is an inert, non-toxic, silicone elastomer. The product is considered stable under normal handling conditions.

8: FLAMMABILITY

Fire/Explosion hazard : Low hazard. Non-flammable paste. Forms essentially amorphous silica, carbon dioxide and carbon monoxide on combustion.

Extinguishing Media	: Water mist, CO ₂ , foam, dry powder	Upper Explosion Limit	: Not determined
May Decompose Explosively	: No	Lower Explosion Limit	: Not determined
		Dust Explosion Limit	: No

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon monoxide, carbon dioxide, nitrogen oxides, and possible other toxic gases and vapours.

9: OTHER INFORMATION

None

[PRINT DOCUMENT](#)[BACK TO CONTENTS](#)

NATIONAL POISONS INFORMATION CENTRE
RAMSET NZ
MSDS's AVAILABLE ON LINE AT
PAGE No

: 0800 764 766
: 09 444 3510
: www.ramset.co.nz
: 4 of 4